



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/088,840	07/02/2002	Klaus-Dieter Nittel	CHEMMT-206	2175

24972 7590 10/28/2003

FULBRIGHT & JAWORSKI, LLP
666 FIFTH AVE
NEW YORK, NY 10103-3198

EXAMINER

OLTMANS, ANDREW L

ART UNIT	PAPER NUMBER
----------	--------------

1742

DATE MAILED: 10/28/2003

10

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/088,840

Applicant(s)

NITTEL ET AL.

Examiner

Andrew L Oltmans

Art Unit

1742

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 October 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 8-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 8-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

DETAILED ACTION

Status of the Claims

1. Claims 8-16 remain pending in this application. The rejections under 35 USC 103 made in the previous Office Action have been maintained.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Hansen et al. 3,860,455 in view of Clifford et al. 2,375,468

3. Claims 8-10 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. 3,860,455 (Hansen; cited on IDS filed March 21, 2002) in view of Clifford et al. 2,375,468 (Clifford; cited on IDS filed March 21, 2002).

Hansen teaches a manganese phosphate coating method and composition, wherein the composition overlaps the composition instantly claimed, including the concentrations ranges of iron(II), manganese, phosphate, nitrate, wherein the free acid, total acid and S-value (ratio of free phosphate to total phosphate ions) are also overlapping, as recited in claims 8 and 10 (col 2, lines 10-33):

5 The method in accordance with the invention for producing manganese- or iron-manganese-phosphate layers on steel in aqueous manganese phosphate or manganese-iron phosphate solutions is characterized in that the workpieces are brought into contact with aque-
10 ous bath solutions containing 1 to 35 g/l, preferably 1 to 24 g/l Mn; 0 to 30, preferably 0 to 29 g/l Fe II; 5 to 80 g/l P_2O_5 , preferably 5 to 50 g/l P_2O_5 ; 0 to 80 g/l of a strongly acidic inorganic anion preferably 0 to 50 g/l NO_3 , exhibit a point number between 15 and 150, pref-
15 erably from 25 to 100, and in which the individual components are in the following weight ratios to one another: Fe(II):Mn = (0 to 10, preferably 0 to 9):1; Mn: P_2O_5 = (0.02 to 2.5, preferably 0.02 to 1.0):1; NO_3 : P_2O_5 = (0 to 3, preferably 0 to 2):1; free P_2O_5 :total
20 P_2O_5 = (0.05 to 0.45, preferably 0.05 to 0.40):1. The

using phenolphthalein as indicator. The baths are supplemented according to the invention with Mn: P_2O_5 :
25 NO_3 in a weight ratio of (0.05 to 0.6, preferably 0.07-0.45):1:(0 to 1, preferably 0 to 0.9), wherein a weight ratio of free P_2O_5 :total P_2O_5 = (0.5 to 1, preferably 0.6 to 1) is maintained. Particularly favorable relationships with reference to the possibility of concen-
30 trating the chemicals for makeup and the advantages described above are obtained when, in the makeup, the weight ratio of free P_2O_5 :total P_2O_5 amounts to (0.65-1):1. Preferably the ratio amounts to (0.7-1):1.

Hansen further teaches the addition of additional components, including nickel, in a range that overlaps the claimed range, as recited in claim 13 (col 2, line 65 to col 3, line 7).

Hansen fails to meet all the limitations of the instant claims in that Hansen does not explicitly teach the accelerator instantly claimed or the exact range of compositional concentration claimed.

Clifford teaches that accelerators, such as nitroguanidine, accelerate the action of manganese phosphating conversion coating solutions "to so great an extent that it can be effected in the cold" (col 2, lines 16-27 and col 2, lines 48-51; Example 1).

With respect to the addition of nitroguanidine, one of ordinary skill in the art would have found the invention to be obvious because one of ordinary skill in the art would have been motivated to add nitroguanidine to the coating solution of Hansen in order to accelerate the coating method and allow the coating to take place in a cold environment, as taught in Clifford (Clifford: col 2, lines 48-51).

With respect to the concentrations of the components, one of ordinary skill in the art at the time the invention was made would have considered the invention to have been obvious because the coating composition taught by the reference overlaps that of the instant claims, In re Peterson, 65 USPQ2d 1379, In re Malagari, 182 USPQ 549, and MPEP 2144.05.

Hansen et al. 3,860,455 in view of Clifford et al. 2,375,468 in further view of Bittner et al. 5,795,408

4. Claim 11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. 3,860,455 (Hansen; cited on IDS filed March 21, 2002) in view of Clifford et al. 2,375,468 (Clifford; cited on IDS filed March 21, 2002) in further view of Bittner et al. 5,795,408 (Bittner).

Hansen and Clifford teach and are applied as set forth above in paragraph 3.

Art Unit: 1742

Hansen in view of Clifford fails to meet all the limitations of the instant claims in that Hansen in view of Clifford does not explicitly teach the addition of the claimed complex-forming agent.

Bittner teaches the addition of complexing agents for the alloying constituents of steel, including citric acid, to phosphating solutions in order to stop or reduce the formation of sludge, while allowing the formation of a phosphate coating on a galvanized surface, as recited in claims 11-12 (col 2):

1 35 It was found that with the above-mentioned concentra-
 1 tions of complexing agents for iron and nitrite, the iron
 dissolved from the side of the steel strip or sheet which is not
 galvanised or alloy galvanised, for the greater part under-
 goes a complex binding. A layer formation on the steel side
 40 cannot be ascertained. The formation of phosphate sludge in
 the phosphatising solution is completely stopped or reduced
 to a value of maximum 10% of the quantity of sludge
 otherwise observed. The desired phosphatising result on the
 galvanised or alloy galvanised side is not adversely affected.

and (col 3):

acetic acid and/or oxalic acid. With this the content of the
 above-mentioned complexing agents in the phosphatising
 solutions should preferably amount to:

0,5	to	2,5	g/l	tartaric acid	40
0,2	to	0,4	g/l	citric acid	
0,2	to	2,5	g/l	nitrilotriacetic acid or ethylenediaminetetraacetic acid (calculated as ethylenediamine tetraacetic acid).	45

With respect to the addition of complexing agent, one of ordinary skill in the art would have found the invention to be obvious because one of ordinary skill in the art would have been motivated to add a complexing agent to the composition of Hansen in order to provide the desirable effect of stopping or reducing the formation of sludge, while allowing the formation of a phosphate film on the surface of a galvanized substrate, as recited in Bittner (Bittner: col 2, lines 35-44).

Hansen et al. 3,860,455 in view of Clifford et al. 2,375,468 in further view of Oei et al. 4,824,490

5. Claim 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. 3,860,455 (Hansen; cited on IDS filed March 21, 2002) in view of Clifford et al. 2,375,468 (Clifford; cited on IDS filed March 21, 2002) in further view of Oei et al. 4,824,490 (Oei).

Hansen and Clifford teach and are applied as set forth above in paragraph 3.

Hansen in view of Clifford fails to meet all the limitations of the instant claims in that Hansen in view of Clifford does not explicitly teach the replacement of the manganese ions with manganese carbonate.

Oei teaches the use of manganese carbonate to control the concentration of free acid (col 3):

Art Unit: 1742

Manganese carbonate, zinc oxide and/or zinc carbonate are preferably used to adjust the ratio of free acid to total acid to (0.04 to 0.2):1. These components are added to the phosphatizing solution as a powder or in an aqueous suspension. To determine the contents of free acid and of total acid, bath samples of 10 ml are titrated with N/10 NaOH to the first and second transitions of phosphoric acid indicated by a color change, e.g., from dimethyl yellow (free acid test) and phenolphthalein (total acid test) used as indicators. The consumption of N/10 NaOH in milliliters corresponds to the points of free acid or total acid.

With respect to the use of manganese carbonate, one of ordinary skill in the art would have found the invention to be obvious because one of ordinary skill in the art would have been motivated to add manganese carbonate to the composition of Hansen in order to provide the desirable effect of controlling the concentration of free acid, as taught in Oei (Oei: col 3, lines 4-6).

Hansen et al. 3,860,455 in view of Clifford et al. 2,375,468 in further view of Shaw 2,987,427

6. Claims 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. 3,860,455 (Hansen; cited on IDS filed March 21, 2002) in view of Clifford et al. 2,375,468 (Clifford; cited on IDS filed March 21, 2002) in further view of Shaw 2,987,427 (Shaw).

Hansen and Clifford teach and are applied as set forth above in paragraph 3.

Hansen in view of Clifford fails to meet all the limitations of the instant claims in that Hansen in view of Clifford does not explicitly teach the step of subjecting the work pieces to sliding friction or the fabrication of the work pieces into axles, gear mechanisms and engine pistons.

Art Unit: 1742

Shaw teaches an example of a nitroguanidine manganese phosphate coated engine piston (i.e. a work piece subjected to sliding friction) (col 5):

Example V

60

A phosphate coating bath was made up to the following composition:

	Percent by weight	
Manganese (Mn) -----	0.3	65
Iron (Fe) -----	0.1	
Phosphate (PO ₄) -----	1.6	
Nitroguanidine -----	0.1	
Non-ionic surface active agent (as in Ex. I) -----	0.5	
Water -----	remainder	70

This solution was covered with the hydrocarbon material used in Example IV and used at 90° C., as in Example IV. Piston rings, panels, and nuts and bolts, so treated had similar coatings to those in Example IV. 75

Shaw teaches that the coating of the sliding work piece with manganese phosphate has the desirable effect of providing a wear resistant coating that liberates less sulphur dioxide and/or other chemicals (col 1):

solutions.

A principal object of the present invention is to provide acid coating baths, e.g. phosphate, chromate, oxalate or oxide coating baths, and methods of using same, which make it possible to obtain highly effective coatings in a more convenient and efficient manner and with a material reduction in the loss of sulphur dioxide liberating substances and/or other chemicals. 65

With respect to the step of subjecting the work pieces to sliding friction and the fabrication of the work pieces into axles, gear mechanisms and engine pistons, one of ordinary skill in the art would have found the invention to be obvious because one of ordinary skill in the

Art Unit: 1742

art would have been motivated to subject the coated work piece to sliding friction or to fabricate the work piece into an engine piston because the use in said applications is known, as taught in Shaw and one of ordinary skill in the art would have been motivated to provide a sliding surface that liberates less sulphur dioxide and/or other chemicals, as taught in Shaw (Shaw: col 1, lines 62-67).

Response to Arguments

7. Applicant's arguments filed October 1, 2003 have been fully considered but they are not persuasive.

8. With respect to applicant's argument that the reference fails to teach the Fe(II) concentration because the Hansen expects an increase in Fe(II) and does not mention how to limit the high content of Fe(II) (page 4 of applicant's response), the examiner disagrees. Hansen teaches a method wherein the workpiece is brought into contact with a coating solution having a particular composition (see e.g. col 2):

layers on steel in aqueous manganese phosphate or manganese-iron phosphate solutions is characterized in that the workpieces are brought into contact with aqueous bath solutions containing 1 to 35 g/l, preferably 1 to 24 g/l Mn; 0 to 30, preferably 0 to 29 g/l Fe II; 5 to 80 g/l P_2O_5 , preferably 5 to 50 g/l P_2O_5 ; 0 to 80 g/l of a strongly acidic inorganic anion preferably 0 to 50 g/l NO_3 , exhibit a point number between 15 and 150, pref-

The claimed invention claims a method wherein the workpiece is brought into contact with a coating solution having a particular composition. The examiner maintains that the concentration of Fe(II) taught by Hansen (i.e. 0-29 g/L) that contacts the workpiece overlaps the claimed range

Art Unit: 1742

of 0.2 to 4 g/L. The argued limitations involving the change in Fe(II) concentration resulting from pickling and the control of the high content of Fe(II) are not claimed and are not found persuasive. Therefore, the argument regarding Fe(II) concentration is not persuasive.

9. With respect to applicant's argument that the Zn(Mn) phosphating has different conditions and effects than Mn phosphating (page 4 of applicant's response), the examiner does not find the argument persuasive. The examiner maintains that the teachings of the accelerators are accelerators for phosphating, wherein the phosphating the particular references include various divalent metal ions. The inclusion of the divalent metal ion (Zn, Mn or both), does not teach one of ordinary skill in the art away from providing a *phosphating* accelerator. Therefore, the argument is not found persuasive.

10. With respect to applicant's argument that the Clifford reference teaches possible accelerators, wherein "the presently claimed invention is directed to the object of optimizing the sliding friction, e.g., for cold-forming of metallic parts" (pages 4-5 of applicant's response), the argument is not found persuasive. No limitations involving "optimizing the sliding friction" are claimed. Therefore, the suggestion of the reference for the use of an accelerator in the amount for accelerating, is sufficient to render the instant claims obvious. Further, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985). Therefore, the arguments are not found persuasive.

11. With respect to applicant's argument that Clifford and Hansen fail to teach the roughness (page 5 of applicant's response), the argument is not found persuasive. The applicant points

Art Unit: 1742

generally to data in the specification. The data in the specification is not persuasive. The applicant argues that the roughness relates to the presence or absence of nitroguanidine by pointing to the example/comparison example. The examiner does not find the argued relationship from the example/comparison example in the specification. Notably, both the example and comparison example appear to have no nitroguanidine. The example (i.e. page 8 of the specification) appears to have no nitroguanidine and still meets the claimed roughness value. Given the lack of evidence establishing the connection between nitroguanidine and roughness, the evidence is not found persuasive. The examiner maintains that the suggestion of the prior art to use nitroguanidine as an accelerator is sufficient to render the instant claims obvious.

12. With respect to applicant's argument that Mn content is outside the range instantly claimed (pages 5-6 of applicant's response), the argument is not found persuasive. The examiner maintains that the range recited in the reference overlaps that instantly claimed. Further, the calculation provided by applicant includes Mn in a range of from as low as 3 g/L to as high as 40 g/L. The examples show a suitability of Mn in the range from 3 g/L to 40 g/L which overlaps that of the instant claims. The reference is not limited to the preferred embodiments, but rather is read as a whole, MPEP 2123:

"The use of patents as references is not limited to what the patentees describe as their own inventions or to the problems with which they are concerned. They are part of the literature of the art, relevant for all they contain." In re Heck, 699 F.2d 1331, 1332-33, 216 USPQ 1038, 1039 (Fed. Cir. 1983) (quoting In re Lemelson, 397 F.2d 1006, 1009, 158 USPQ 275, 277 (CCPA 1968)).

A reference may be relied upon for all that it would have reasonably suggested to one having ordinary skill in the art, including nonpreferred embodiments. Merck & Co. v. Biocraft Laboratories, 874 F.2d 804, 10 USPQ2d 1843 (Fed. Cir.), cert. denied, 493 U.S. 975 (1989).

If the reference is read as a whole, an overlapping concentration of Mn is taught, therefore making the instant invention obvious.

Art Unit: 1742

13. With respect to applicant's argument that Shaw does not teach the addition of nitroguanidine to nitrate (page 6 of applicant's response), the argument is not found persuasive because the rejection does not rely upon Shaw for the suggestion of the addition of nitroguanidine, but rather relies upon Clifford for the suggestion to combine nitroguanidine (see paragraph 6 of the previous Office Action).

14. For at least the above reasons, the arguments are not found persuasive.

Conclusion

15. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew L Oltmans whose telephone number is 703-308-2594. The examiner can normally be reached from 7:00 am to 3:30 pm.

Art Unit: 1742

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on 703-308-1146. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.



Andrew L. Oltmans
Patent Examiner
Art Unit 1742

alo
October 27, 2003